

# CERTIFICATE OF CONFORMITY OF THE FACTORY PRODUCTION CONTROL

Certificate No.:  
2388-CPR-26-38572 Rev. 0.0

Initial certification date:  
18-02-2026

Validity end date:  
18-02-2029

In compliance with Regulation (EU) No 305/2011 of the European Parliament and of the Council of 9 March 2011 (the Construction products Regulation or CPR), this certificate applies to the construction product(s)

**Structural products of Aluminium and aluminium alloys for construction works**  
to be use in metal structures or in composite metal and concrete structures

placed on the market under the name or trade mark of

**Hydro Aluminium UK Ltd**

Tewkesbury Road, GL51 9DT Cheltenham, Gloucestershire, United Kingdom  
and produced in the manufacturing plant(s)

**Hydro Aluminium UK Ltd**

Tewkesbury Road, GL51 9DT Cheltenham, Gloucestershire, United Kingdom  
Tibshelf, DE55 5NH Alfreton, Derbyshire, United Kingdom

This certificate attests that all provisions concerning the assessment and verification of constancy of performance described in Annex ZA of the standard(s)

**EN 15088:2005**

under system 2+ are applied and that

**THE FACTORY PRODUCTION CONTROL IS ASSESSED TO BE IN CONFORMITY WITH  
THE APPLICABLE REQUIREMENTS**

This certificate will remain valid as long as neither the harmonised standard, the construction product, the AVCP methods nor the manufacturing conditions in the plant are modified significantly, unless suspended or withdrawn by the notified factory production control certification body.

For more details see Appendix accompanying this Certificate.

## Appendix to Certificate

Place and date:  
Barendrecht, 2026-02-26

For the issuing office:  
Notified Body 2388, The Netherlands

Check Validity



Bjørn Spongsveen  
Management Representative

### Certificate history:

Revision	Description	Issue Date
0.0	Initial Certificate	2026-02-18

### Additional information to the scope of certificate

<b>Product Standard</b>	EN 755-1:2016, EN 755-2:2024, EN 755-3:2016, EN 12020-1:2022
<b>Product(s)</b>	Round bars, Square bars, Rectangular bars, Hexagonal bars, Porthole tubes, Extruded Profiles
<b>Dimension Standard</b>	EN 755-4:2008, EN 755-5:2008, EN 755-6:2008, EN 755-8:2016, EN 755-9:2016, EN 12020-2:2020

### Wrought Aluminium Alloys AW-6000 series

Grade	Temper Condition	Width/Section/Mould size (mm)		Thickness (mm)		Length (mm) / Weight (Kg)
		min	max	min	max	max
EN AW-6005 EN AW-AISiMg(A)	T6	-	300	-	76	Length 8000 mm / Weight per meter: 0,093 up to 10.000 kg/m
EN AW-6060 EN AW-AIMgSi	T5 T6 T66	-	300	-	76	Length 8000 mm / Weight per meter: 0,093 up to 10.000 kg/m
EN AW-6063 (except for EN 12020) EN AW-AIMg0.7Si	T5 T6 T66	-	300	-	76	Length 8000 mm / Weight per meter: 0,093 up to 10.000 kg/m
EN AW-6082 (except for EN 12020) EN AW-AISiMgMn	T5 T6 T66	-	300	-	76	Length 8000 mm / Weight per meter: 0,093 up to 10.000 kg/m

### Declaration of performance and marking of product

When meeting with the terms and conditions, as required, the manufacture shall draw up an EC declaration of product performance and legally affix the CE mark followed by the notified factory production control certification body identification number of DNV (2388).

End of Certificate